

















Special profiles / Specialprofiler


<p>30.602</p> 	<p>30.600</p> 	<p>30.601</p> 	<p>30.262</p> 
<p>Material: EPDM black Hardness: SH 65</p>	<p>Material: EPDM black Hardness: SH 65</p>	<p>Material: EPDM black Hardness: SH 65</p>	<p>Material: EPDM black Hardness: SH 65</p>

<p>30.7696</p> 	<p>30.7300/4Y</p> 	<p>30.7367</p> 	<p>30.220L</p> 
<p>Material: CR black Hardness: SH 65</p>	<p>Material: EPDM yellow Hardness: SH 65</p>	<p>Material: CR black Hardness: SH 65</p>	<p>Material: CR black Hardness: SH 65 Length: 6,5 m</p>

<p>30.7300 - 30.7300/4</p> 	<p>30.7780/4</p> 	<p>30.5560</p> 	<p>30.258</p> 
<p>Material: EPDM black Hardness: SH 65 Length 30.7300: 3 m Length 30.7300/4: 4 m</p>	<p>Material: EPDM black Hardness: SH 65 Length: 4 m</p>	<p>Material: EPDM black Hardness: SH 65</p>	<p>Material: EPDM black Hardness: SH 65</p>


<p>30.257</p> 	<p>30.216S</p> 	<p>30.OT1024B</p> 	<p>30.218</p> 
<p>Material: EPDM black Hardness: SH 65</p>	<p>Material: EPDM black Hardness: SH 65</p>	<p>Material: Silicone black Hardness: SH 60</p>	<p>Material: EPDM black Hardness: SH 65</p>

30.OT1024 - 30.OT1024U




Material: Silicone white
Hardness: SH 60
30.OT1024 with adhesive

31.072




Material: EPDM black
Hardness: SH 65

30.7795




Material: EPDM black
Hardness: SH 65

30.7411




Material: EPDM black
Hardness: SH 84

30.762




Material: EPDM black
Hardness: SH 65

30.7266




Material: EPDM black
Hardness: SH 65

30.7770




Material: EPDM black
Hardness: SH 65

30.7648




Material: EPDM black
Hardness: SH 65

30.5881




Material: EPDM black
Hardness: SH 65

30.OT1387




Material: Silicone grey
Hardness: SH 60

30.OT3272




Material: Silicone blue
Hardness: SH 60

30.7645




Material: EPDM black
Hardness: SH 45

30.50967




Material: NBR black
Hardness: SH 65

30.7559




Material: NBR black
Hardness: SH 60

30.29300-129




Material: CR black
Hardness: SH 65

30.29300-130




Material: CR black
Hardness: SH 65

30.7811




Material: EPDM black
Hardness: SH 60

31.702




Material: EPDM black
Hardness: SH 70

30.6759




Material: EPDM black
Hardness: SH 65

30.6944




Material: EPDM black
Hardness: SH 65

30.5550M




Material: EPDM black
Hardness: SH 65

30.OT3354




Material: Silicone white

30.7519




Material: EPDM black
Hardness: SH 65
Length: 2 m

30.7519NBR




Material: EPDM grey
Hardness: SH 65
Length: 2 m

30.7845




Material: SBR black
Hardness: SH 70

30.7106




Material: EPDM black
Hardness: SH 65

30.5596




Material: EPDM black
Hardness: SH 65

31.087




Material: EPDM black
Hardness: SH 65

30.7249




Material: CR black
Hardness: SH 70

30.OT1092




Material: Silicone white

30.5981




Material: EPDM black
Hardness: SH 65

30.2653




Material: EPDM black
Hardness: SH 65

30.8199




Material: EPDM black
 Hardness: SH 65
 Length: 4 m

30.190




Material: TPE black
 Hardness: SH 57

30.8270




Material: EPDM black
 Hardness: SH 57

30.340




Material: EPDM black
 Hardness: SH 65
 Length: 3 m

30.2438




Material: EPDM black
 Hardness: SH 65
 Length: 2,2 m

30.7663




Material: EPDM black
 Hardness: SH 65
 Length: 5 m

54.710290




Material: EPDM black
 Hardness: SH 65
 Length: 10 m

30.315S




Material: EPDM black
 Hardness: SH 65
 Length: 10 m

30.315SB




Material: EPDM black
 Hardness: SH 45
 Length: 10 m

30.7613




Material: EPDM black
 Hardness: SH 60

54.710700




Material: PVC/PVC black/grey
 Hardness: Hard/soft
 Length: 3 m

54.710720




Material: PVC/PVC black/grey
 Hardness: Hard/soft
 Length: 3 m

54.710730




Co-ex profile 30 mm
 Grey
 Length: 3 m

54.710750




Material: PVC/PVC black/grey
 Hardness: Hard/soft
 Length: 3 m

54.710770




Co-ex profile 30 mm
 Grey
 Length: 3 m

54.710780




Material: PVC/PVC black/grey
 Hardness: Hard/soft
 Length: 3 m

50.083030




Co-ex profile 18 mm
 Black / white
 Length: 5 m
 With 4 soft lips

50.083032GG




Co-ex profile 18,4 mm
 Grey / grey
 Length: 6 m
 With 4 soft lips

50.083033




Co-ex profile 19 mm
 Light grey / black lips
 Length: 5 m

50.083040




Co-ex profile 21 mm
 Black / white
 Length: 5 m
 With 4 soft lips

50.083040G




Co-ex profile 21 mm
 Black / grey
 Length: 6 m
 With 4 soft lips

50.083040GG




Co-ex profile 20,8 mm
 Grey / grey
 Length: 6 m
 With 4 soft lips

50.083040GL




Co-ex profile 21 mm
 Light grey / light grey
 Length: 5 m
 With 4 soft lips

50.083045G




Co-ex profile 25 mm
 Grey / grey
 Length: 6 m
 With 4 soft lips

50.083050




Co-ex profile 30 mm
 Black / white
 Length: 5 m
 With soft lips

50.083050G




Co-ex profile 30 mm
 Black / light grey
 Length: 5 m
 With soft lips

50.083060




Co-ex profile 40 mm
White / black lips
Length: 5 m

50.083080G




Co-ex profile 65 mm
Grey / grey lips
Length: 5 m

30.324S - 30.324SB




Material: EPDM black
Hardness: SH 65
Length: 5 m
30.324SB: SH 45

30.325S




Material: EPDM black
Hardness: SH 65
Length: 5 m

30.330S




Material: EPDM black
Hardness: SH 65

30.331




Material: EPDM black
Hardness: SH 70

30.7935




Material: EPDM black
Hardness: SH 65
Length: 2,8 m

30.144




Material: EPDM black
Hardness: SH 45

31.4281




Material: EPDM black
Hardness: SH 85
Length: 2,7 m

30.798




Material: EPDM black
Hardness: SH 65

30.141




Material: CR black
Hardness: SH 65

30.142S




Material: EPDM black
Hardness: SH 65

30.143S




Material: EPDM black
Hardness: SH 65

30.145




Material: EPDM black
Hardness: SH 70

31.145W




Material: EPDM white
Hardness: SH 65

31.048




Material: EPDM black
Hardness: SH 65

30.8331




Material: EPDM black
Hardness: SH 65

41.671




Material: Aluminium
Length: 1 m

41.672




Material: Aluminium
Length: 2 m

41.675




Material: Aluminium
Length: 5 m

32.8520




Universal end-stop profile
Roll of 50 m
15,6 x 11 mm

32.8519




End-stop profile
Roll of 50 m
Height 16 mm

32.8516




End-stop profile
Roll of 50 m
Height 19 mm

32.8517




End-stop profile
Roll of 50 m
Height 25 mm

32.8518




End-stop profile
Roll of 50 m

31.368




End-stop profile
Material: EPDM black
Hardness: SH 65

31.369




End-stop profile
Material: EPDM black
Hardness: SH 65

30.7649




D-weatherstrip
Material: EPDM
Hardness: SH 60

30.7933




H-profile for aluminium rail
Material: EPDM
Hardness: SH70

30.8469




Rubber profile with drip cap
For loading tail board
Material: EPDM
Hardness: SH 67
Length: 8 m

30.6648




Skirt profile
Hardness: SH 75

30.2151




Skirt profile
Material: PVC white
Roll of 14 m

30.2566




Skirt profile
Material: PVC black
Hardness: SH 80
Height: 125 mm
Length: 1 m
Roll of 64 m

30.314S




Rubber profile
Material: EPDM
Hardness: SH 60 / 65

45.224




Drip moulding
Height: 24 mm

30.7651




Balloon profile
Hardness: SH 65

30.7652




Rubber profile
Material: EPDM
Hardness: SH 65

30.313




Co-ex profile
Material: EPDM / sponge rubber
Hardness: SH 80

30.7650




D-weatherstrip
Material: EPDM
Hardness: SH 70

39.1208P




Fender profile with channel
Material: PE
Length: 3 m

30.7932




Rubber profile for alu. track
Material: EPDM
Hardness: SH 70

41.333S




Steel profile for mounting of rubber profile 30.333
Length: 2,6 m

30.333




L-profile
Material: EPDM
Hardness: SH 70
Roll of 50 m

30.2984-1




U-profile
Material: EPDM
Hardness: SH 70
Roll of 25 m

30.2984-2




U-profile
Material: EPDM
Hardness: SH 65
Roll of 25 m

30.2984-3




U-profile
Material: EPDM
Hardness: SH 70
Roll of 25 m

30.2984-5




U-profile
Material: EPDM
Hardness: SH 70

30.2984-6




U-profile
Material: EPDM
Hardness: SH 80
Roll of 50 m

30.13447-6




Container profile
Material: EPDM
Hardness: SH 70
Length: 2,5 m

30.13447-7




Container profile
Material: EPDM
Hardness: SH 70
Length: 2,5 m

30.13447-8




Container profile
Material: EPDM
Hardness: SH 70
Length: 2,5 m

30.13447-1




Container profile
Material: EPDM
Hardness: SH 70
Length: 2,5 m

30.13447-2



Container profile
Material: EPDM
Hardness: SH 70
Length: 2,5 m

30.13447-3



Container profile
Material: EPDM
Hardness: SH 70
Length: 2,5 m

BIBUS[®]
SUPPORTING YOUR SUCCESS

BIBUS SK, s.r.o
Trnavská 31, SK-94 901 Nitra

Tel.: 037/ 7777 911 Email: sale@bibus.sk
Fax.: 037/ 7777 999 http://www.bibus.sk